

Pure Gold Liquid 1000mg CBD 4oz

This Certificate represents exact test data from Third Party Lab analysis, performed in accordance with the requirements of ISO/IEC 17025, and is reported in its entirety.

Cannabinoid Profile & Potency

Test Date: 10/17/2018

The client sample was analyzed for plant-based cannabinoids by Liquid Chromatography (LC). The collected data was compared to data collected for certified reference standards at known concentrations.

ID	Weight %	Conc.
D9-THC	ND	ND
THCV	ND	ND
CBD	0.84 wt%	8.20 mg/mL
DBDV	ND	ND
CBG	ND	ND
CBC	ND	ND
CBN	ND	ND
THCA	ND	ND
CBDA	ND	ND
CBGA	ND	ND
Total	0.84 wt%	8.20 mg/mL
Max THC	-	-
Max CBD	0.84 wt%	8.20 mg/mL

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC= (0.877 x THCA) + THC. ND= None detected above the limits of detection (LLD)

Heavy Metal Analysis

Test Date: 10/16/2018

This test method was performed in accordance with the requirements of ISO/IEC 17025. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

Symbol	Metal	Conc.1	Units	MDL	ALL	Ingestion	Units	Status
As	Arsenic	ND	² Y!Y	4	200	1500	² Y!Y	PASS
Cd	Cadmium	ND	² Y!Y	1	200	500	² Y!Y	PASS
Hg	Mercury	ND	² Y!Y	2	100	1500	² Y!Y	PASS
Pb	Lead	ND	² Y!Y	2	500	1000	² Y!Y	PASS

CERTIFICATE OF ANALYSIS

LOT#: APM18072

Pure Gold Liquid 1000mg CBD 4oz

Microbiological Contaminants
Test Date: 10/02/2018

This test method was performed in accordance with the requirements of ISO/IEC 17025. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

Symbol	Analysis	Results	Units	Limits*	Status
AC	Total Aerobic Bacterial Count	<100	CFU/g	100,000 CFU/g	PASS
CC	Total Coliform Bacterial Count	<100	CFU/g	1,000 CFU/g	PASS
EB	Total Bile Tolerant Gram Negative Count	<100	CFU/g	1,000 CFU/g	PASS
YM	Total East & Mold	<100	CFU/g	10,000 CFU/g	PASS

Note: All recorded Microbiological test are within the established limits.

Pathogenic Bacterial Contaminants
Test Date: 10/03/2018

This test method was performed in accordance with the requirements of ISO/IEC 17025. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

Test ID	Analysis	Results	Units	Limits*	Status
41441-ECPT	E. coli (0157)	Negative	NA	Non Detected	PASS
41441-SPT	Salmonella	Negative	NA	Non Detected	PASS

END OF REPORT

CERTIFICATE OF ANALYSIS

LOT#: APM18072